UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,329	07/10/2003	David Turner Monk	20711-0032-U1	2818
	7590 04/13/200 LLACE & NURICK L	EXAMINER		
100 PINE STREET P.O. BOX 1166 HARRISBURG, PA 17108-1166			KOCZO JR, MICHAEL	
			ART UNIT	PAPER NUMBER
			3746	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/13/2007	PAPER	

# Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/617,329	MONK ET AL.			
Office Action Summary	Examiner	Art Unit			
	Michael Koczo, Jr.	3746			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 23 Ma	arch 2007.				
2a) This action is <b>FINAL</b> . 2b) This action is non-final.					
3) Since this application is in condition for allowan	ce except for formal matters, pro	secution as to the ments is			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
<ul> <li>4)  Claim(s) 1 and 2 is/are pending in the application.</li> <li>4a) Of the above claim(s) 3-14 and 17-28 is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1,2,15 and 16 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers					
<ul> <li>9) ☐ The specification is objected to by the Examiner.</li> <li>10) ☐ The drawing(s) filed on 10 July 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application					
Paper No(s)/Mail Date 6)					

#### **DETAILED ACTION**

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

#### **Drawings**

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: numeral 220 (para. 0019, line 1).

The drawings are objected to because lines and reference numerals are not uniformly drawn.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will

Application/Control Number: 10/617,329

Art Unit: 3746

be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Specification

The disclosure is objected to because of the following informalities: the specification refers to a "rotor 12". It would appear that this is a misnomer since element 12 is disclosed as reciprocating back and forth. It is furthermore not understood how the device would be capable of operating if element 12 rotated.

Appropriate correction is required.

## Claim Objections

Claims 1, 2, 15 and 16 are objected to because of the following informalities: these claims are objected to for incorrectly referring to element 12 as a "rotor". Appropriate correction is required.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 2 and 16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. There is no reference frame for "eccentric". Relative to what structure is the connecting rod eccentric?

Art Unit: 3746

## Claim Rejections - 35 USC § 102

Claims 1, 2, 15 and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Williams (US 2,023,799). Williams discloses a compressor having a linear motor 34, 35 connected to piston rod 39 via links 40 and 42. These links limit overtravel and undertravel of the piston.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Claims 3 to 14 and 17 to 28 stand withdrawn from further consideration as being drawn to species non-elected with traverse.

Any inquiry relating to patent applications in general should be directed to the Patent Assistance Center at 1-800-786-9199.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Koczo, Jr. whose telephone number is 571-272-4830. The examiner can normally be reached on M-Th; 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ehud Gartenberg can be reached at 571-272-4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/617,329 Page 5

Art Unit: 3746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Koczo, Jr. Primary Examiner

Art Unit 3746